



3KW Commercial High Pressure Cleaning Machine

JNIKA® is a famous brand in 3KW Commercial High Pressure Cleaning Machine in China which was known as its good quality products and best after-sales service. Our series products range from electric high pressure washer, Gasoline high pressure washer, diesel pressure washer, explosion proof high pressure washer, electric pipe dredge machine, gasoline sewer drain cleaner, diesel sewer drain cleaner to fog making machine, etc. Its application in truck wash, urban roads cleaning, industrial cleaning, Coach wash, rust remove, food plant clean, building surface clean etc.

Product Description

JNIKA® 3KW Commercial High Pressure Cleaning Machine have characteristic design & practical performance & competitive price, for more information on the 3KW Commercial High Pressure Cleaning Machine, please feel free to contact us. JNK-ZJ-311T is 3KW electric high pressure, which has collapsible handle push and removal wheels, 1.5mm to 2.0mm thickness frame is treated with rust prevention on the inside and outside surface lead it endurable washer and not easy to rust in a long time. Its a three phase motor high power electric high pressure washer.

Technical Parameter

Model No.: JNK-ZJ-311T

Motor Power: 3KW Voltage: 380V Frequency: 50 Hz

Rotary Speed: 1450 RPM

Max Pressure: 130 bar / 1900PSI Flow Current: 16L/min / 4.22GMP

Nozzle Size: 070 model Pump Model: JNK-1513D

Package Size: 63*48*60cm (LxWxH)

Package weight: 54Kgs

Structure







JNK-1513D 28 shafts high pressure pump



Standard Accessories

D'anne	JNK380Kg high pressure water gun 3/8 quick connect adapter	3C national standard electric cord 4X1.5M2
	10M high pressure water outlet hose 3/8 quick connect adapter	3meters water inlet hose 304 double stainless steel strainer
	Standard equipped nozzles 00, 150, 250, 400 304 stainless steel hoop and copper quick connect	Filter removal wrench

Quality Guarantee

- ① Electric Current protection range from 15A to 18A
- ② Power protection range from 7.5Kw to 8.5Kw
- $\ensuremath{{}^{\circ}}$ Voltage protection: 220V single phase 170V to 245V , $\ensuremath{\;\;}$ 380V three phase 360V to 440V
- 4 Electric leakage protection at 30mAh
- ⑤ Open-phase protection for 380V three phase motor
- 6 Over heating protection for the motor at 120 degree
- Terror nozzle connect will not raise the electric current and voltage increase, motor will not broken, the pump is with the function of automatic pressure leakage.
- New models for pump in 3000Hrs testing without the situation of oil leakage and water leakage

Customized Service





- \bigcirc Electric Voltage is customized as requested, from 170V -245V single phase to 360V 440V three phase
- ② Electric plug is customized as requested , for American socket or European type
- ③ Length of water inlet and outlet is customized as requested
- 4 Logo and Package is customized base on MOQ

Product Certificate



3KW Commercial High Pressure Cleaning Machine Application

